



Technical data:

Elastomer 41 Peach

Product description and advantages

- Area of application: Foil and veneer pressing
- No contact discolouration on pressed parts
- Long-term flexibility

Standard dimensions

Width: up to 1900 mm

Material thickness: 2 mm

3.5 mm

3.0 mm

4 mm

Surface: smooth/smooth or
smooth/textured

Elastomer	TPHN	
Type of rubber	NR – Natural rubber	
Colour	Peach	
Hardness	41 Shore A	DIN 53 505
Thickness tolerance	+/- 0.40 mm	
Density/Spec. weight	1.05 g/cm ³	DIN 53 508
Tear strength	22 Mpa	DIN 53 504
Elongation at tear	700 %	DIN 53 504
Abrasion resistance	400 mm ³	DIN 53 516
Resilience	60 %	DIN 53 512
Compression set at: 22h/70° C	30 %	DIN 53 517
Max. temperature	120 °C	